



FALL 26

CELEBRATING
45 YEARS OF EXCELLENCE

QUALITY | INNOVATION | TRUST

GARAGE DOOR WEATHER STRIPPING

**SA-5001 PREMIUM WEATHERSEAL****THE NO WARP, NO CRACK ALUMINUM RETAINER**

Innovative hybrid design: combats infiltration of the elements in extreme cold & high heat conditions.

SA-5001's TRI-SEAL TECHNOLOGY INCLUDES **JAMB FIN** TO SEAL BETWEEN RETAINER & DOOR JAMB

**NEW FEATURES:**

- PRE-NOTCHED FOR EASY FLUSH INSTALLATION
- COLOR MATCH SCREWS INCLUDED
- 16 COLOR OPTIONS*
- 10 PIECES / BOX

BENEFITS:

The no warping, no cracking solution. Ideal for fullview, sleek modern looks, dark doors, extreme climates and coastal regions.

**for most up to date color & length availability use QR or visit:*



eltonmanufacturing.com | sales@eltonmanufacturing.com | 1-800-297-8299

QUALITY | INNOVATION | TRUST

SEALS AND ACCESSORIES

SA-5001 Premium Weatherseal	2
Side and Top Rigid PVC / Reverse Angle	4
Side and Top Steel / Aluminum	5
Top Seal	6
Bottom "U" Rubber (PVC) / TPR	7

BOTTOM RETAINERS

Bottom Retainers – Aluminum	8
Bottom Retainers – Rigid PVC	9

BRUSH SEALS

Brush Seals & Dock Brush Kits	10
Retainers for Brush Seal	11

SEALS AND ACCESSORIES (CONT.)

Threshold – Replacement Sweeps	12
Hoses	12
Handles – Exhaust Port	12
Spring Filler – Operator Clip	13
Nail On – for Wood Door	13

COMMERCIAL GARAGE DOOR WINDOWS

Glass Options	14
0120 • 0624 • 0824	14
1324 • 1325 • 1328	15
1224 • 1225 • 1326 • 1634	16
Ventilation	17

RESIDENTIAL GARAGE DOOR WINDOWS




714 Slimline Window Series	18
741 Slimline Window Series	19
EP Stackable Series	20
Contemporary Windows	21
Classic Windows	22
Residential Inserts	23

COLOR KEY




	Seals, Retainers & Accessories
	Commercial Windows
	Residential Windows

SEALS AND ACCESSORIES


Side and Top Rigid PVC

Model	Image	Length	Box Quantity	Material	Colours	Description
SR-1104		7', 8', 9', 10', 12', 14', 16', 18'	12	Rigid PVC/ Flexible PVC	White, Black, Cream, Dark Sandstone Desert Sand, Brown, Dark Brown Bronze, Claystone Grey, Charcoal Grey	- Dual Fin PVC seals against the door - Third Fin seals the gap between the product and the jamb - Includes Cap to Hide Screws
SR-1405E		7', 8', 9', 10', 14', 16'	12	Rigid PVC/ Flexible PVC (Co-Extruded)	White, Sandstone Cream, Brown, Bronze, Black, Grey	- Economical - Works on gradual arches - Nail or Screw in
SR-1404		7', 8', 9', 10', 12', 16', 18'	9	Rigid PVC/ Flexible PVC (Co-Extruded)	White, Sandstone Cream, Brown, Bronze, Black	- Extra Wide Profile - Flexible co-extruded cap to hide screws - Dual Fin PVC seals against the door






Side and Top Rigid PVC - Reverse Angle

Model	Image	Length	Box Quantity	Material	Colours	Description
SR-9001		24'	30	Rigid PVC/ Flexible PVC (Co-Extruded)	Grey Rigid PVC, Black Flexible PVC	- Reverse Angle Clip-On PVC - Clips onto reverse angle - Clips Overlap of 1/4\"
SR-9002		24'	30	Rigid PVC/ Flexible PVC (Co-Extruded)	Black Rigid PVC, Black Flexible PVC	- Reverse Angle Clip-On PVC - Side Use – Clips onto Reverse Angle - Also for Residential Use
SR-9003		9', 11', 13', 15', 17'	25	Rigid PVC/ Flexible PVC (Co-Extruded)	Black	- Reverse Angle Bolt On Weatherstripping - Bolts onto Reverse Angle Steel Jamb
SR-9004		200' Per Spool	200' Per Spool	Rigid PVC/ Flexible PVC (Co-Extruded)	White, Brown, Grey, Black	- Reverse Angle Clip-On Vinyl - Side Use – Clips onto Steel Jamb - Also for Residential Use

Side and Top Steel

Model	Image	Length	Box Quantity	Material	Colours	Description
SS-7001		7', 8', 9', 10'	20	Galvanized Steel / Flexible PVC	Laminated Dark Oak, Laminated Medium Oak, White, Sandstone, Cream, Charcoal Grey, Brown, Bronze, Black	- Steel is Notched on Both Ends for Easier Installation - Third Fin seals the gap between the product and the jamb - Economical - Dual Fin PVC seals against the door
		12', 14', 16', 18'	10			





Side and Top Aluminum

Model	Image	Length	Box Quantity	Material	Colours	Description
SA-5001		7', 8', 9', 10', 12', 14', 16', 18'	10	Aluminum / Flexible PVC	White, Sandstone, Cream, Brown, Black, Dark Brown, Charcoal Grey, Laminated Dark Oak, Laminated Medium Oak, Iron Ore, Honey Cedar, Bronze, Mocha Brown	- Painted Aluminum retainer - Dual Fin PVC seals against the door - Third Fin seals the gap between the product and the jamb - Non-warping - Color matched screws in each box - Notched at 10' +under - High heat applications
SA-1101		8', 10', 12', 14', 16', 24'	10	Aluminum / Flexible PVC	Mill Finish Aluminum, Black Flexible PVC	- Aluminum Retainer - Heavy Duty Single-Fin PVC
SA-1102		8', 10', 12', 14', 16', 18', 24'	8	Aluminum / Flexible PVC	Mill Finish Aluminum, Black Flexible PVC	- Heavy Duty Dual Fin PVC - Third Fin seals the gap between the product and the jamb - Aluminum Retainer - Specifically For Colder Climates
SA-1106		8', 10', 12', 14', 16', 18', 24'	15	Aluminum / Flexible PVC	Mill Finish Aluminum, Black Flexible PVC Anodized Aluminum, Black Flexible PVC	- Aluminum retainer - Dual Fin PVC seals against the door - Third Fin seals the gap between the product and the jamb
SA-1001		8', 9', 10', 12', 14', 16', 18', 24'	10	Aluminum / Flexible PVC	Mill Finish Aluminum, Black Flexible PVC	- Aluminum retainer - Dual Fin PVC seals against the door - Third Fin seals the gap between the product and the jamb

for most up to date color & length availability please visit eltonmanufacturing.com


SEALS AND ACCESSORIES

Top Seal

Model	Image	Roll / Length	Material	Colors	Description
TS-300		150' per roll	Flexible Vinyl	Black	- Slides into standard 'U' shape retainer BR-1006 - Installed on top sections
TS-238		200' per roll	Flexible Vinyl	Black	- Slides into standard 'U' shape retainer BR-1006 - Installed on top sections
*TS-534		100' per roll	Rigid Vinyl / Flexible Vinyl (Co-Extruded)	Black	- Installs on top sections - Offers additional draft Seal
*TS-515		150' per box (3 x 50' coils)	Rigid Vinyl / Flexible Vinyl (Co-Extruded)	Black	- Installs on top sections - Offers additional draft Seal
TS-320		150' per box (3 x 50' coils)	Rigid Vinyl / Flexible Vinyl (Co-Extruded)	Black	- Installs on top sections - Offers additional draft Seal
TS-319		150' per box (3 x 50' coils)	Rigid Vinyl / Flexible Vinyl (Co-Extruded)	Black	- Installs on top sections - Offers additional draft Seal

* TS-534 & TS-515 are non-stock items. Please contact Customer Service.

Bottom “U” Rubber (PVC)

Model	Image	Roll / Length	Description
V1003 - 3"		200' Roll	• Flexible PVC, 3" Width • Compatible with ELTON's plastic and aluminum bottom retainers • Available in Black or Yellow
V1003 - 4"		200' Roll	• Flexible PVC, 4" Width • Compatible with ELTON's plastic and aluminum bottom retainers • Available in Black or Yellow
V1003 - 5"		150' Roll	• Flexible PVC, 5" Width • Compatible with ELTON's plastic and aluminum bottom retainers • Available in Black or Yellow
V1003 - 6.5"		100' Roll	• Flexible PVC, 6.5" Width • Compatible with ELTON's plastic and aluminum bottom retainers • Available in Black or Yellow
V1003-3-DF		200' Roll	• Flexible PVC, 3" Width • Compatible with ELTON's plastic and aluminum bottom retainers • U-Shape seal with added Drip Edge • Available in Black
V1003-4-DF		200' Roll	• Flexible PVC, 4" Width • Compatible with ELTON's plastic and aluminum bottom retainers • U-Shape seal with added Drip Edge • Available in Black
V1003-3-R-BLOCK		75' Per Roll	• Compatible with ELTON's plastic and aluminum bottom retainers • Highly effective at keeping pests out of places they don't belong • Available in Black, 3" Width
V1003-4-R-BLOCK		75' Per Roll	• Compatible with ELTON's plastic and aluminum bottom retainers • Highly effective at keeping pests out of places they don't belong • Available in Black, 4" Width







Thermoplastic Rubber (TPR) *Superior Weather Performance*

Model	Image	Roll / Length	Description
V1003-444		Coil	• TPR • 4" Width • Compatible with ELTON's plastic and aluminum bottom retainers • Used as an improved bottom seal or as a safety edge • Available in Black • Plugs also available
V-1003-TPR-3		200' Roll	• TPR, 3" Width • Compatible with ELTON's plastic and aluminum bottom retainers • Available in Black
V-1003-TPR-4		200' Roll	• TPR, 4" Width • Compatible with ELTON's plastic and aluminum bottom retainers • Available in Black






for most up to date color & length availability please visit eltonmanufacturing.com

BOTTOM RETAINERS

Bottom Retainers - Aluminum

Model	Image	Length	Description
BA-1003		8', 10', 12', 14', 16', 24'	* For door thickness: 1-3/8", 1-5/8", 2"
BA-1004		24'	* For door thickness: 1-3/4", 2"
BA-1005		8', 10', 12', 14', 16', 24'	* For door thickness: 1-3/8", 1-1/2", 1-3/4", 2"
BA-1007		8', 10', 12', 14', 16', 24'	* For door thickness: 1-5/8"
BA-3011		25'	* For rolling steel door
BA-3011-1		25'	Flat Slat Adapter

Bottom Retainers - Rigid PVC

Model	Image	Length	Description
BR-1013		8', 10', 12' 14', 16', 24'	(Black) * For door thickness: 1-1/4", 1-3/8", 2" * Packaged 40 / Bag
BR-1006		8', 10', 12' 14', 16', 24'	(Black) With flexible fin to touch door face * For door thickness: 1-3/8", 1-1/2", 1-3/4", 2" * Packaged 16 / Bag
BR-1014		8', 10', 12' 14', 16', 24'	(Black) * For door thickness: 1-5/8" * Packaged 40 / Bag
BR-1015		8', 9', 10', 12', 14', 16', 24'	(Black) * For door thickness: 1-3/4" 8' and 9' - Packaged 50 / Bag 10', 12', 14', 16', 24' Packaged 25 / Bag
BR-1019		8', 10', 12' 14', 16', 24'	(Black) * For door thickness: 1-3/8", 2" * Packaged 32 / Bag
ELT D599		10', 16'	(Black) * For door thickness: 1-1/8" * 10' - Packaged 20 pcs / Bag * 16' - Packaged 25 pcs / Bag

for most up to date color & length availability please visit eltonmanufacturing.com

BRUSH SEALS

Brush Seals

Standard Brush	
Model	Bristle Width
RL-100	1" Bristle
RL-138	1 3/8" Bristle
RL-112	1 1/2" Bristle
RL-200	2" Bristle
RL-300	3" Bristle
RL-400	4" Bristle
RL-600	6" Bristle
Standard Brush Comes in 6' Lengths	



Heavy Brush	
Model	Bristle Width
RH-300	3" Bristle
RH-600	6" Bristle
Heavy Brush Comes in 8' Lengths	



Vinyl Insert RV		
Model	Vinyl Width	Spool Lengths
RV-100	1" Vinyl Width	600'
RV-112	1 1/2" Vinyl Width	400'
RV-200	2" Vinyl Width	300'
RV-300	3" Vinyl Width	200'



Dock Brush Kits	
1" Brush Kits	1 1/2" Brush Kits
• KIT5100S - For 6' Dock Plate	• KIT5112S - For 6' Dock Plate
• KIT7100S - For 8' Dock Plate	• KIT7112S - For 8' Dock Plate
Dock Brush Kits - Weldable Options	
1" Brush Kits	1 1/2" Brush Kits
• KIT5100W - For 6' Dock Plate	• KIT5112W - For 6' Dock Plate
• KIT7100W - For 8' Dock Plate	• KIT7112W - For 8' Dock Plate



Dock Brush Kits Include:












- 2 Pieces of RA4007, 1-1/4" 90° Retainer
- 2 Pieces of 1" **OR** 1-1/2" Standard Brush Seal
- Self Tapping Fasteners
- Pre Cut to 5' Lengths for 6' docks 7' lengths for 8' docks

Optional Weldable Bracket

Brush Kit Available in 1" and 1-1/2"

For Additional Bristle Length Please Contact for More Information



Retainers for Brush Seal

Model	Image	Available Lengths	Material
Standard Brush Retainers			
RA-4001		6', 8', 10', 12', 14', 16'	Aluminum Retainer • For Angle Application (45°) • For use with Standard brush or vinyl insert
RA-4002		6', 8', 10', 12', 14', 16'	Aluminum Retainer • For Angle Application (45°) • For use with Standard brush or vinyl insert
RA-4003		6', 8', 12', 16'	Aluminum Retainer • For Angle Application (90° & 80°) • For use with Standard brush or vinyl insert
RA-4006		6', 12'	Aluminum Retainer • For Angle Application (45°) • For use with Standard brush or vinyl insert
RA-4007		6', 8', 10', 12', 14', 16'	Aluminum Retainer • For Angle Application (90°) • For use with Standard brush or vinyl insert
RA-4009		12'	Aluminum Retainer • For Reverse Angle Rolling Steel Doors • For use with Standard brush or vinyl insert
RA-4010		6', 8', 10', 12', 14', 16'	Aluminum Retainer • For Angle Application (180°) • For use with Standard brush or vinyl insert
RA-4011		12'	Aluminum Retainer • For Angle Application (90° Double Track) • For use with Standard brush or vinyl insert
Heavy Brush Retainers			
RA-4004		8', 16'	Aluminum Retainer • For Angle Application (45°) • For use with Heavy brush
RA-4005		8', 16'	Aluminum Retainer • For Angle Application (180°) • For use with Heavy brush
RA-4012		8', 16'	Aluminum Retainer • For Angle Application (180°) • For use with Heavy brush
Dock Leveler Retainers			
RA-4007		6', 8', 10', 12', 14', 16'	Aluminum Retainer • For Angle Application (90°) • For use with Standard brush or vinyl insert
DL-4000		6', 8'	Galvanized Steel Retainer • Weldable to sides of Dock Leveler • RA-4007 aluminum retainer & Standard brush insert slides into this outer retainer

for most up to date color & length availability please visit eltonmanufacturing.com

SEALS AND ACCESSORIES

Threshold - Replacement Sweeps

Model	Image	Roll / Length	Description
V1016-0		• 100' Per Roll • Threshold (Including Adhesive) • Vinyl Colour: Black	• Threshold • Installed on the ground below garage door as a second seal to prevent water from flowing into the garage • Can be driven over with vehicle
V1010		• 300' Per Roll • Vinyl Colour: Grey	• Replacement sweep for One-Piece Door • Fits into the bottom of One-Piece Stanley™ doors
V1011		• 200' Per Roll • Vinyl Colour: Grey	• Replacement sweep for One-Piece Door • Fits into the bottom of One-Piece Taylor™ doors



Hoses

Model	Image	Description	Roll / Length
3001-0		• TPR • Signal Tube • ID = 3/8"	250' Per Roll
3002-0-35		• TPR • Gum Hose • ID = 1/2" • Installed in Bottom "U" Rubber for use as Safety Edge	200' Per Roll




Handles - Exhaust Port

Image	Model	Material	Colour	Cut-out Size	Description
	AR-3007-0	Polyethylene	Black	6-3/8" x 3-5/8"	• Telescopic Door Handle • For Door Thickness 1-3/8" – 2"
	AR-3007-1	Polyethylene	Black	6-3/8" x 3-5/8"	• Telescopic Door Handle • For Door Thickness 1-3/8" – 2"
	3009-1-B	Polyethylene	Black	4.5" Diameter	• Exhaust Port • For Any Door Thickness

Spring Filler - Operator Clip

Model	Image	Description	Roll / Length
SPRBLK414		Spring Filler • For use with 5-1/4" or 6" springs • 1-3/8" ID	12' per piece
AA-0429		Operator Rail Clip / Wire Manager • 100 per box • Liftmaster™ T-Rail • Black	5' per piece
AA-516		Operator Rail Clip / Wire Manager • 150 per box • Black	5' per piece

Nail On - for Wood Door

Model	Image	Roll / Length	Description
V1008		• 250' Per Roll • Vinyl Colour: Black	• Bottom Nail-on for Wood Door • For 1-3/8" Doors • Light Duty
V1009		• 200' Per Roll • Vinyl Colour: Black	• Bottom Nail-on for Wood Door • For 1-3/4" Doors • Heavy Duty
V1009-1		• 150' Per Roll • Vinyl Colour: Black	• Bottom Nail-on for Wood Door • For 1-3/8" Doors • For Heavier Applications than V1009 • Provides Better Cushion

for most up to date color & length availability please visit eltonmanufacturing.com

COMMERCIAL GARAGE DOOR WINDOWS

Glass Options

Most glass options can be ordered as single pane or insulated units

Stock Glass	Special Glass
• Double strength (Annealed/Float) glass - 3mm (1/8") • Tempered • Tinted • Acrylic (Plexiglas) • Polycarbonate (Lexan)	• Polished Georgian Wire • Low-E • Breather Tubes • Argon Filled • Reflective

Frames For Insulated Doors

Elton's injection molded frames deliver the best in quality and appearance for your commercial door. The unique, screw-together design makes installation simple – and our polypropylene frames will not discolour! Please see the chart below for specifications, colours, glass options and door thicknesses.

0120

Screw-Together Window



Model	Frame Size (tip-to-tip)	Cut-out Size	Vision Area					
0120	12 15/16" Outside Diameter	11 15/16" Diameter	10 3/16" Inside Diameter					
	328mm Outside Diameter	303mm Diameter	274mm Inside Diameter					

Frame Colour	Glass Options	Box Quantity						
		PAN	1 3/8"	1 1/2"	1 5/8"	1 3/4"	2"	FO
Black, White	Sealed Plexi, Sealed Lexan	N/A	N/A	16	16	16	12	18

0624

Screw-Together Window



Model	Frame Size (tip-to-tip)	Cut-out Size	Vision Area						
0624	23 13/16" x 5 11/16"	22 15/16" x 4 7/8"	21 1/4" x 3 1/4"						
	605mm x 144mm	583mm x 124mm	541mm x 82mm						
Frame Colour		Glass Options	Box Quantity						
			PAN	1 3/8"	1 1/2"	1 5/8"	1 3/4"	2"	FO
Black, White, Cream, Sandstone, Brown, Grey		See chart for glass options	24	18	16	16	16	14	18

0824

Screw-Together Window



Model	Frame Size (tip-to-tip)	Cut-out Size	Vision Area							
0824	23 15/16" x 7 15/16"	23 1/8" x 7 1/8"	21 9/16" x 5 1/2"							
	608mm x 202mm	583mm x 181mm	547mm x 140mm							
Frame Colour		Glass Options	Box Quantity							
			PAN	1 3/8"	1 1/2"	1 5/8"	1 3/4"	2"	3"	FO
Black, White, Cream, Sandstone, Brown, Grey		See chart for glass options	N/A	14	12	12	10	10	8	13

1324

Screw-Together Window



Model	Frame Size (tip-to-tip)	Cut-out Size	Vision Area					
1324	26 3/4" x 14 1/2"	25 5/8" x 13 3/8"	23 7/8" x 11 9/16"					
	679mm x 369mm	651mm x 340mm	606mm x 294mm					

Frame Colour	Glass Options	Box Quantity						
		PAN	1 3/8"	1 1/2"	1 5/8"	1 3/4"	2"	FO
Black, White	See chart for glass options	N/A	8	8	6	6	6	8

1325

Clip-Together Window



Model	Frame Size (tip-to-tip)	Cut-out Size	Vision Area						
1325	26 3/4" x 14 1/2"	25 5/8" x 13 1/2"	23 7/8" x 11 9/16"						
	679mm x 369mm	651mm x 340mm	606mm x 294mm						
Frame Colour		Glass Options	Box Quantity						
			PAN	1 3/8"	1 1/2"	1 5/8"	1 3/4"	2"	FO
Black		Sealed Plexi, Sealed Lexan	N/A	N/A	8	8	N/A	N/A	N/A

1328

Clip-Together Window



Model	Frame Size (tip-to-tip)	Cut-out Size	Vision Area	
1328	28 1/2" x 12 13/16"	27 7/16" x 11 3/4", R2.96	25 1/2" x 9 13/16" Corner Cut 2 3/4" Radius	
	725mm x 325mm	695mm x 298mm	651mm x 251mm Corner Cut 69.85mm Radius	

Frame Colour	Glass Options	Box Quantity							
		PAN	1 3/8"	1 1/2"	1 5/8"	1 3/4"	2"	FO	
Black	Sealed Plexi, Sealed Lexan	N/A	N/A	8	8	N/A	N/A	N/A	

*1328 Cut-out is oval. Please call us for template.

COMMERCIAL GARAGE DOOR WINDOWS

1224

For flush doors
Screw-Together Window




Model	Frame Size (tip-to-tip)	Cut-out Size	Vision Area							
1224	25 1/8" x 13 1/8"	23 7/8" x 11 15/16"	21 11/16" x 9 5/8"							
	638mm x 334mm	611mm x 305mm	551mm x 245mm							
Frame Colour		Glass Options	Available door Thickness / Box Quantity							
			PAN	1 3/8"	1 1/2"	1 5/8"	1 3/4"	2"	3"	FO
Black, White, Cream, Sandstone, Brown, Grey		See chart for glass options	N/A	8	6	6	6	6	4	8

1225

For Ribbed doors
Screw-Together Window

Frames For Deep Ribbed Pan Door

1225 will fit most door manufacturers' ribbed panels. The tabs on our 1225 frame fit right into the deep ribs of the door. This saves installation time, as there's no need to fill the ribs with caulking. The interior frame for a pan door is designed to go right over the deep ribs perfectly, lining up the screw holes with the exterior frame. You can mix and match 1224 & 1225 to fit ribbed or flush sections for pan or insulated doors.



Model	Frame Size (tip-to-tip)	Cut-out Size	Vision Area							
1225	25 1/8" x 13 1/8"	23 7/8" x 11 15/16"	21 11/16" x 9 5/8"							
	638mm x 334mm	606mm x 300mm	552mm x 246mm							

Frame Colour	Glass Options	Box Quantity							
		PAN	1 3/8"	1 1/2"	1 5/8"	1 3/4"	2"	3"	FO
Black, White, Cream, Sandstone, Brown, Grey	See chart for glass options	15	8	8	6	6	6	4	10

1326

Screw-Together Window



Model	Frame Size (tip-to-tip)	Cut-out Size	Vision Area							
1326	26 1/8" x 13 9/16"	25 3/16" x 12 5/8", R4	23 7/16" x 10 13/16" Corner Cut 4" Radius							
	663mm x 344mm	637mm x 319mm	595mm x 275mm Corner Cut 101.60mm Radius							

Frame Colour	Glass Options	Box Quantity								
		PAN	1"	1 3/8"	1 1/2"	1 5/8"	1 3/4"	2"	FO	
Black, White	Sealed Plexi, Sealed Lexan	N/A	10	8	8	8	6	6	10	

*1326 Cut-out is oval. Please call us for template.

1634

Screw-Together Window




Model	Frame Size (tip-to-tip)	Cut-out Size	Vision Area							
1634	35 1/8" x 17 1/8"	33 7/8" x 15 7/8"	31 3/4" x 13 11/16"							
	892mm x 435mm	861mm x 403mm	806mm x 348mm							
Frame Colour		Glass Options	Box Quantity							
			PAN	1 3/8"	1 1/2"	1 5/8"	1 3/4"	2"	3"	FO
Black, White, Cream, Sandstone, Brown, Grey		See chart for glass options	N/A	4	4	4	4	4	3	5



Thank you for making us a part of your vision.

Expanded Aluminum Ventilation



- Ideal for underground garages
- Mill finish aluminum
- Flattened diamond pattern
- Fits virtually any window size

* Standard size: Elton 1224

* Please call us for more information on custom sizes

for most up to date color & length availability please visit eltonmanufacturing.com



714 SLIMLINE WINDOW SERIES

High Performance Precision Construction

- Elton's proprietary advanced resin technology
- Maximum weatherability
- Paintable frame options available
- One piece injection moulded construction

Endless Design Potential

- Clean lines enhance both modern & traditional architecture
- Fits vertically & horizontally on 18", 21" & 24" panels
- Same profile as 741 ideal for stacked combination configurations

SPECIFICATIONS:

PART NUMBER: GD 0714

TIP TO TIP: 6-15/16" x 13-3/4"

CUT OUT: 5-15/16" x 12-13/16"

VISION AREA: 3-15/16" x 10-3/4"

PANEL THICKNESS: 1 3/8" and 2" for single glass

1 3/8" through 2" for insulated glass

Glass Options:
Insulated or Single Pane



CLEAR



FROSTED



TINTED

Frame Color Options:




WHITE




BLACK

Configuration Ideas:




714



714



741 + 714



741 + 714



741 + 714

RESIDENTIAL GARAGE DOOR



741 SLIMLINE WINDOW SERIES

High Performance Precision Construction

- Elton's proprietary advanced resin technology
- Maximum weatherability
- Paintable frame options available
- One piece injection moulded construction


Endless Design Potential

- Clean lines enhance both modern & traditional architecture
- Same profile as 714 ideal for stacked combinations


Configuration Ideas:




741




741 + 714



741 + 714



741 + 714



714 + 741

SPECIFICATIONS:

PART NUMBER: GD 0741

TIP TO TIP: 6-15/16" x 40-13/16"

CUT OUT: 5-15/16" x 40-1/16"

VISION AREA: 3-15/16" x 37-7/8"

PANEL THICKNESS: 1 3/8" and 2" for single glass

1 3/8" through 2" for insulated glass

Glass Options:
Insulated or Single Pane



CLEAR



FROSTED



TINTED

Frame Color Options:



WHITE



BLACK

eltonmanufacturing.com | sales@eltonmanufacturing.com | 1-800-297-8299

QUALITY | INNOVATION | TRUST



EP STACKABLE WINDOW SERIES

Newly Designed EP Frames

Elton's new **Stackable Series** introduces a fresh, modern design to any garage door. With a sleek, stylish, smooth profile, it's a revolution in garage décor, blending form and function to cater to endless possibilities.

Highlights

- Injection moulded construction
- Smooth profile
- Stylish look with flexibility
- Offered in 4 sizes
- Available for 1-3/4" & 2" door thickness



Shown: EP 764 (9" x 66" O.D.)

SPECIFICATIONS:

MODEL	TIP TO TIP	CUT OUT
EP 848	10" x 50"	9" x 49"
EP 836	10" x 38"	9" x 37"
EP 822	10" x 24"	9" x 23"
EP 764	9" x 66"	8" x 65"

Classic Elegance

ENDLESS
POSSIBILITIES
 The "Stackable Series"

eltonmanufacturing.com | sales@eltonmanufacturing.com | 1-800-297-8299

QUALITY | INNOVATION | TRUST

RESIDENTIAL GARAGE DOOR WINDOWS

Contemporary Windows

SLIMLINE SERIES:



741 + 714 HORIZONTAL



714 + 714 VERTICAL

Model	Available for Non Insulated Doors	Measurements	Outside Dimensions (Tip-to-Tip)	Cut-Out Size
741	✓	Imperial	40 13/16" x 6 15/16"	40 1/16" x 5 15/16"
		Metric	1037mm x 176mm	1018mm x 151mm
714	x	Imperial	13 3/4" x 6 15/16"	12 13/16" x 5 15/16"
		Metric	349mm x 176mm	325mm x 151mm

EP STACKABLE SERIES:



EP 848



EP 836



EP 822



EP 764

Model	Measurements	Outside Dimensions (Tip-to-Tip)	Cut-Out Size
EP 848	Imperial	10" x 50"	9" x 49"
	Metric	254mm x 1270mm	228.6mm x 1244.6mm
EP 836	Imperial	10" x 38"	9" x 37"
	Metric	254mm x 965.2mm	228.6mm x 939.8mm
EP 822	Imperial	10" x 24"	9" x 23"
	Metric	254mm x 609.6mm	228.6mm x 584.2mm
EP 764	Imperial	9" x 66"	8" x 65"
	Metric	228.6mm x 1676.4mm	203.2mm x 1651mm

Available for 1-3/4" and 2" door thickness. Insulated glass only. Vision area available upon request.

for most up to date color & length availability please visit eltonmanufacturing.com

RESIDENTIAL GARAGE DOOR WINDOWS

Classic Windows



SHORT PANEL:

Model	Snap-In Insert	Available for Non Insulated Doors	Measurements	Outside Dimensions (Tip-to-Tip)	Cut-Out Size
1319	x	x	Imperial	19 1/8" x 12 3/4"	18 5/16" x 11 13/16"
			Metric	486mm x 324mm	465mm x 300mm
1419	✓	✓	Imperial	19 3/4" x 14 7/16"	19 1/8" x 13 13/16"
			Metric	502mm x 367mm	485mm x 350mm
1420	✓	✓	Imperial	19 9/16" x 14 1/4"	18 13/16" x 13 5/8"
			Metric	497mm x 362mm	478mm x 346mm
1520	✓	✓	Imperial	20 5/8" x 15 7/16"	19 1/2" x 14 3/8"
			Metric	524mm x 392mm	495mm x 365mm
1622	x	x	Imperial	21 1/8" x 15 11/16"	20 1/4" x 14 3/16"
			Metric	537mm x 398mm	514mm x 360mm
1421*	x	✓	Imperial	21" x 13 9/16"	20 1/16" x 12 11/16"
			Metric	533mm x 344mm	510mm x 322mm
1521*	x	x	Imperial	20 3/4" x 14 7/8"	19 7/8" x 13 15/16"
			Metric	527mm x 378mm	505mm x 354mm

**1421 and 1521 are Non-Stock Items. Please call for custom run details.*



INTERMEDIATE PANEL:

Model	Snap-In Insert	Available for Non Insulated Doors	Measurements	Outside Dimensions (Tip-to-Tip)	Cut-Out Size
1427	✓	x	Imperial	26 1/2" x 14 5/8"	25 5/8" x 13 7/16"
			Metric	673mm x 371.5mm	651mm x 341mm



LONG PANEL:

Model	Snap-In Insert	Available for Non Insulated Doors	Measurements	Outside Dimensions (Tip-to-Tip)	Cut-Out Size
1542	✓	✓	Imperial	42 15/16" x 15 3/4"	42 1/16" x 14 13/16"
			Metric	1090mm x 400mm	1068mm x 376mm
1440	✓	✓	Imperial	42 7/16" x 14 1/4"	41 3/4" x 13 9/16"
			Metric	1078mm x 362mm	1060mm x 344mm


Vision areas available upon request.

Residential Inserts


SHORT PANEL:




LONG PANEL:




INTERMEDIATE PANEL:



NOTE: Insert designs may differ between frame sizes. For current availability by size, please visit our website at www.eltonmanufacturing.com.




• Snap in-insert from front of frame with glass sealed to frame



• Lay in-insert from front of frame with insert sealed to frame

for most up to date color & length availability please visit eltonmanufacturing.com

**Elton Manufacturing**

1265 Aerowood Drive
Mississauga, ON L4W 1B9
1-800-297-8299
sales@eltonmanufacturing.com
eltonmanufacturing.com

Elton USA

1300 Industrial Drive
North Vernon, IN 47265
1-800-297-8299
sales@eltonmanufacturing.com
eltonusa.com